## AMENDED APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Retu	rned to applicant for correction	40V-15 1984	3	
Согг	ected application filed			
Мар	filed	JAN 1 4 1985		
•	· =			
	The applicant Arthur L. and R	uth B. Baker		
•	980 Sunset Dr.  Street and No. or P.O. Box No.	of Fall	On City or Town	
<b></b>	Nevada 89406	the state of the s	n for permission to appropriate the public	
wate	State and Zip Code No.  rs of the State of Nevada, as hereinafter sta	ated. (If applicant is a corpo	oration, give date and place of incorpora-	
	if a copartnership or association, give name			
,	•			
1.	The source of the proposed appropriation i	is Underground	e, spring, underground or other source	
			o, spring, micorground of outer source	
2.	The amount of water applied for is	2.0 c.f.s.	second-feet	
	(a) If stored in reservoir give number of ac	One second-root eduars	rio.05 gais. per min.	
	•		ling & domestic	
		, power, mining, manufacturing, dome	stic, or other use. Must limit to one use.	
4.	If use is for:			
	(a) Irrigation, state number of acres to be irrigated:			
	(b) Stockwater, state number and kinds of animals to be watered:			
	(c) Other use (describe fully under "No. 12. Remarks" mining, milling & domestic			
	(d) Power:			
	(1) Horsepower developed			
	(2) Point of return of water to stream			
<i>E</i>	The water is to be diverted from its source		•	
Э.	Sec. 16, T.33N., R.36E.,		<del>-</del>	
	survey, and by course and distance to a section corner.	. If on unsurveyed land, it should be	so stated.	
	the NE corner of said Sec			
6.	Place of use NW 4 SW 4 of Sec	y legal subdivision. If on unsurveyed la	M.D.B. & M. nd, it should be so stated.	
			,	
		<del></del>		
7	Use will begin about January 1st Month and Day	nd end about.	cember 31st of each year.	
٠.				
8.	Description of proposed works. (Under the			
	specifications of your diversion or storage	WOTKS.) State manner in which wa	ter is to be diverted, i.e. diversion structure, ditches and	
-	flumes drilled well with numb and motor, etc.	•		
9.	Estimated cost of works \$10,000			

11.	Estimated time required to complete the application of water to beneficial use 5 years			
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual			
	consumptive use.  Water is to used for a mining and milling operation. Annual  consumptive use will be approximately 157 million gallons			
	(16 hours a day 365 days a year) or more as required by			
	expansion of plant.			
	By S/Bart Conn G.P. P.O. Box 2012			
Con	pared mc/se bp/se Winnemucca, Nevada			
Prot	estedested			
	APPROVAL OF STATE ENGINEER			
follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the owing limitations and conditions:			
nust	(2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be			
accur meter Compl State ise co publi eet.	lled and maintained in the discharge pipeline near the point of diversion and rate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2)			
accur meter Compl State ise co publi Eeet. (CONT	ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and			
accur meter Compl State ise co publi Eeet. (CONT	lled and maintained in the discharge pipeline near the point of diversion and rate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2)			
neter Compl State ise coubli Teet. (CONT The	ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and			
neter Compl State ise coubli Teet. (CONT The	lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 2.0 cubic feet per second, but not to exceed 55 miles to exceed 2.0 cubic feet per second, but not to exceed 55 miles of the content of the exceed 55 miles of the content of the exceed 55 miles of the content of the exceed 55 miles of the exceed			
neter Compl State ise coubli Teet. (CONT The not	lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the fithe water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 2.0 cubic feet per second, but not to exceed 55 mill llons annually.			
eccur meter Compl State ise of Dubli The not ga. Won	lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0 cubic feet per second, but not to exceed 55 millulons annually.  Ex must be prosecuted with reasonable diligence and be completed on or before.  February 7, 1992			
meter Compl State ise coubli Teet. (CONT The not ga Won Proc	lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 TOUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 2.0 cubic feet per second, but not to exceed 55 mil clons annually.  As must be prosecuted with reasonable diligence and be completed on or before February 7, 1992 of of completion of work shall be filed before March 7, 1992			
meter Compl State ise of Dubli The not gal Won Proc	alled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the fi the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0			
eccur neter Compl State ise co bubli The not ga Woo Proc App Proc Map	lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 mount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0 cubic feet per second, but not to exceed 55 mil llons annually.  k must be prosecuted with reasonable diligence and be completed on or before.  February 7, 1992  of of completion of work shall be filed before.  March 7, 1992			
eccur meter Compl State ise coubli The not gal Won Prod App Prod Map	alled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the fithe water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 minued on PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 2.0 cubic feet per second, but not to exceed 55 mil minued to exceed 2.0 cubic feet per second, but not to exceed 55 mil minued by the prosecuted with reasonable diligence and be completed on or before february 7, 1992 and of of completion of work shall be filed before for the application of water to beneficial use shall be filed on or before february 7, 1994 of of the application of water to beneficial use shall be filed on or before february 7, 1994 of of the application of water to beneficial use shall be filed on or before february 7, 1994 of or support of proof of beneficial use shall be filed on or before february 7, 1994 of or the application of water to beneficial use shall be filed on or before filed for for the application of water to beneficial use shall be filed on or before filed filed for for the application of water to beneficial use shall be filed on or before filed filed filed filed filed filed filed on or before filed file			
eccur neter Compl State Ise of Dubli The not ga. Wor Proc App Proc Map Com	and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed			
eccur neter Compl State Ise of Dubli The not ga Wor Proc App Proc Map Com Proc Cult	and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0 cubic feet per seconds, but not to exceed 55 mil allons annually.  It must be prosecuted with reasonable diligence and be completed on or before.  February 7, 1992  of of completion of work shall be filed before.  March 7, 1992  Of of the application of water to beneficial use shall be filed on or before.  March 7, 1994  Of of the application of water to beneficial use shall be filed on or before.  N/A  Pletion of work filed.  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have breunto set my band and the seal of of beneficial use filed.  March 7, 1994  March 7, 19			
eccur neter Compl State Ise of Dubli The not ga Wor Proc App Proc Map Com Proc Cult	and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0			
eccur neter Compl State Ise of Coult The not ga Wor Proc App Proc Map Com Proc Cult	and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This Permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  No perforations shall be put in the production casing from ground level to 100 INUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  2.0 cubic feet per second, but not to exceed 55 mil llons annually.  It must be prosecuted with reasonable diligence and be completed on or before.  February 7, 1992  Of of completion of work shall be filed before.  March 7, 1992  Of of the application of water to beneficial use shall be filed on or before.  February 7, 1994  Of of the application of water to beneficial use shall be filed on or before.  February 7, 1994  Of of the application of water to beneficial use shall be filed on or before.  N/A  IN TESTIMONY WHEREOF, I. PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of of beneficial use filed.  my office, this 7th day of February  A.D. 19.9.20			

PAGE 2 48508

## (PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 17562, Certificate 5395, Permit 48507 and Permit 48508 shall not exceed 55 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Water levels and water use data from this well shall be submitted to the State Engineer on a monthly basis.